

# HiB

MAKING  
**BATHROOMS**  
BEAUTIFUL


## SOLSTICE

Solstice 60 -BLK: Art No 79520700

Solstice 60-BBR: Art No 79520750

Solstice 80-BLK: Art No 79520800

Solstice 80-BBR Art No 79520850



**Thank you for purchasing this HiB product.**

Please read through these instructions carefully and refer back to them during installation to ensure that your product is fitted safely and that it retains its high quality finish.

Fitting Instructions

## Electrical Safety Information

HiB recommends that all electrical bathroom products must be installed in accordance with current building and wiring regulations.

**If in doubt please contact an electrician.**

**Before drilling ensure that there are no hidden cables or pipes in the wall.**


## Warnings for Safe Use

- This product is intended for Domestic Use only
- Please read the instructions and warnings carefully before installing the product and ensure this document is kept with the product for future reference to ensure product longevity and in the interest of safety.
- If you give the product to another person, please give them this manual as well.
- If any modification is made it will invalidate the warranty and may render the product unsafe.
- This product is IP44 rated and suitable for installation in Zones 2 and Outside Zone according to the IEEE regulations.
- It is not suitable for use in saunas, steam rooms and shower cubicles.
- Appropriate circuit protection should be available for the product.
- When drilling use appropriate eye protection.
- The use of a Residual Current Device (RCD) is advised for any power tools used during the installation of this product.
- Take suitable precautions when handling glass.
- Do not use if glass is broken or unsafe.
- Beware of hidden cables or pipes. Take care if drilling on tiled surfaces in case the drill slips.
- Always switch off the electrical supply to the product at the mains during installation and maintenance.
- It is recommended that this product is installed by a person who is able to meet the level of competence required in order to comply with relevant regulations. If in doubt consult a qualified tradesperson.
- Do not enter IP44 box unless competent and item is isolated from mains.
- Do not use if any electrical wires appear damaged or degraded.
- This product is designed for installation into a brick or masonry block wall, if mounting onto other substrate ensure appropriate fixing and batons (if required) are used and the load bearing of the wall is sufficient.
- It is recommended that this product is installed by two people.
- Avoid leaving excessive standing and surface water on the product for prolonged periods of time.
- Dispose of packaging in accordance to local authority regulations.
- At end of life dispose of item according to local authority regulations.

# CAUTION

We recommend that you place this mirror on a soft flat surface to ensure no breakages. We also recommend that you leave corner protectors on until final fitting.

Do not lift this product via the illuminated frame



## Electrical Information

This product contains a light source of energy efficiency class **E**




All installations must comply with guidelines which are based on a zonal concept and must be followed to ensure the safe installation of electrical appliances in the bathroom.

These regulations apply to domestic installations only. Installations must be made in accordance with the current IEE wiring regulations and relevant building regulations.

This product is IP44 rated and is suitable for installation in zones: **2 & Outside Zone**

### Wiring Diagram



## What's in the Box?

- Solstice Mirror
- Leatherette Strap
- Strap to Mirror fixing bolt (pair)
- Strap support hook with cover
- Fittings pack

## Tools Required



Pencil



Spirit Level



Drill



Drill bit



Screwdriver




Fig 2. - Mounting points




Fig 3. - Securing hanging strap bolts




Fig 4. - Fixing support hook

**It is recommended that this product is installed by two people.**


1. Position the mirror in a suitable location (*according to the zonal diagram - Fig. 1*), ensuring that the domestic electrical mains supply is within reach of the cable connection point of the product.
2. Carefully mark the position of the mirror using a soft pencil ensuring it is level. Remove the mirror and mark the mounting points, *see Fig. 2*. **Please ensure that all marked mounting points accurately match up with the fixing points on the mirror.**
3. Using a suitable drill bit, drill holes in the marked positions to a suitable depth. If drilling through tile, use a ceramic drillbit.
4. Insert wall plugs level with the surface of the wall. If fitting to a tiled surface, wall plugs should be inserted below the tile surface to avoid cracking. *NB. For plasterboard walls, specialist fixings should be purchased, available from any DIY or hardware store.*
5. Screw supplied fixings into wall plugs.
6. Attach the decorative strap to the side of the mirror frame using the bolts provided, *see Fig. 3*. **Please note this is not intended to be used as the main weight bearing fixing.**
7. With the mirror in position, carefully mark the position of the strap support hook using a soft pencil and ensuring the strap is taut and the hook is central to the mirror, *see Fig. 4*.
8. Remove the mirror from the wall.
9. Again, using a suitable drill bit, drill holes in the marked position to a suitable depth and insert wall plugs.
10. Position the strap support hook and fix in place with the supplied fixings.
11. **Ensure the domestic electrical mains supply to which the mirror is being connected is turned off.** Connect the domestic mains supply to the terminal box according to the wiring diagram, *see page 3*.
12. Hang the mirror into position and locate the strap over the hanging support hook.
13. Remove the adhesive pad cover from the support hook finishing cap and apply to the support hook.
14. Switch the domestic electrical mains supply for the mirror back on.

## To switch on/off

1. Touch the sensor located on the front of the mirror once.
2. Heated pad is on when the mirror is on.

## To change the colour temperature

1. Touch and hold the sensor until desired colour is obtained.
2. The colour temperature is then set until changed again.



## Care

To preserve the high quality finish of your HiB product, please ensure you regard the following care and cleaning recommendations:

- Use only a soft damp cloth.
- Wipe off all water spillages as soon as possible.
- **Do not use** any abrasives or solvents.

## Aftercare

In the unlikely event that this product should fail please contact the retailer from which the item was purchased.



WEEE compliance

Must not be mixed with  
general household waste

T: +44 (0)20 8441 0352 F: +44 (0)20 8441 0219 E: [sales@hib.co.uk](mailto:sales@hib.co.uk) [hib.co.uk](http://hib.co.uk)

Building 3, North London Business Park, Oakleigh Road South, New Southgate, London. N11 1GN

©HiB Copyright: No part of this document may be reprinted or duplicated without HiB consent. All sizes and measurements are approximate, but we do try and make sure they are as accurate as possible. In the interest of continuous product development, HiB reserves the right to alter specifications as necessary. E & OE.